

	CERTIFICAT DE CONFORMITE	DATE
		VERSION N°1

POUR LE CLIENT

Je soussigné certifie que le produit cité ci-après est conforme aux spécifications établies.
 Nous vous rappelons qu'il vous appartient de vérifier les conditions de distribution et d'utilisation de ces produits conformément à la législation en vigueur.

Code interne	NUVSOL01
Désignation interne	FORMULE SOLEIL

Code client	
Désignation client	FORMULE SOLEIL

Numéro de lot		Numéro de BL	
---------------	----------------------	--------------	----------------------

Date de fabrication		DDM	
---------------------	----------------------	-----	----------------------

Conditions de conservation	A conserver à l'abri de l'oxygène et de la lumière à une température comprise entre 15 et 25°C dans son emballage d'origine
----------------------------	---

Le produit contient de(s) Allergène(s)	Non
--	-----

Liste des allergène(s) dans le produit

Le produit contient de(s) Additif(s)	Non
--------------------------------------	-----

Liste de(s) additif(s) dans le produit

Le produit est BIO	Non
--------------------	-----

(*Produit issu de l'agriculture biologique FR-BIO-01 et process conforme à la fabrication de produits biologiques)

Le produit est sans OGM	Oui	Le produit est Ionisé	Non
-------------------------	-----	-----------------------	-----

Le produit est sans Gluten	Non
----------------------------	-----

Conforme Végétarien	Oui	Conforme Végétalien	Oui
---------------------	-----	---------------------	-----

Conforme Halal	Oui	Conforme Casher	Oui
----------------	-----	-----------------	-----

CONDITIONNEMENT PRODUIT

Type de produit	Gélules HPMC	Couleur	Transparente
PV interne gélules		Taille	Taille 0
Lot Fournisseur gélules		Dosage	405,12mg

Type de conditionnement	Piluliers	Quantité par colis	47*50
Quantité conditionnée	1913+496	Cartons incomplets	1*46+1*13

Autres (dont fond de bol)

COMPOSITION PRODUIT

INGREDIENT(S)	DOSAGE	PV interne	N°LOT FOURNISSEUR
Bisglycinate de cuivre 29%	3,45mg		
ES Bardane	100mg		
Vitamine E Nutrabiol	16,67mg		
Lycopène	25mg		
Viamine B5 pantothénique	3mg		
bétacarotène	12mg		
Luteine	25mg		
Amidon de riz	220mg		

Service qualité

PV 22489

CERTIFICATE OF ANALYSIS

Product Name: Lyc-O-Lutein® 20% VBAF

Date of Issue:

Description: Microencapsulated tablet grade free flowing powder of natural Lutein

Certificate No.: Q-15147-3

Analysis No.: QC L22-1187/2022

Lot No.:

Manufacture Date:

Catalog No.: 49310, 49311, 49313

Expiration Date:

Test Items	Method	Specification	Results
Appearance	Visual	Orange-red free flowing beadlets	Orange-red free flowing beadlets
Odor	Olfactory	Characteristic	Characteristic
Identification of Lutein	HPLC	Corresponds	Corresponds
Free Lutein	HPLC	Min 20.0%	21.3 %
Free Zeaxanthin	HPLC	Min 1%	1 %
Total carotenoids (as Lutein)	Spectrophotometry	Min 21.0%	24.0 %
Particle size: 150-425µm	Gravimetry	Min 70%	81 %
Loss on drying	Gravimetry	Max 10%	6 %
Bulk density:	Untapped Gravimetry	0.55-0.75 g/ml	0.64 g/ml
	Tapped Gravimetry	0.6-0.8 g/ml	0.7 g/ml
Lead	ICP	≤ 1 ppm	<1 ppm
Arsenic	ICP	≤ 1 ppm	≤ 1 ppm *
Mercury	ICP	≤ 0.1 ppm	≤ 0.1 ppm *
Cadmium	ICP	≤ 1 ppm	≤ 1 ppm *
Total plate count	USP<2021>	Less than 1,000/g	10/g
E.Coli	USP<2022>	Negative/10g	Negative/10g
Salmonella	ISO 6579; SI 885/7; FDA BAM Chapter 5	Negative/25g	Negative/25g
Staph. Aureus	USP<2022>	Negative/10g	Negative/10g
Yeasts/Molds	USP<2021>	Less than 100/g	<10/g

* The tests marked with (*) are performed periodically

Signature:

QC Laboratory

P022490

	
CERTIFICATE OF ANALYSIS	

Product Name: Lyc-O-Beta 20% VBAF Description: Microencapsulated tablet grade of natural β -Carotene Lot No.: Catalog No.: 40160, 40161, 40163	Date of Issue: Certificate No.: Q-15004 Analysis No.: QC L21-4450/2021 Manufacture Date: Expiration Date:
---	--

Test Items	Method	Specification	Results
Appearance	Visual	Dark red free flowing beads	Dark red free flowing beadlets
Odor	Olfactory	Characteristic	Characteristic
Identification of β -Carotene	Spectrophotometry	Corresponds	Corresponds
β -Carotene	Spectrophotometry	Min 20%	21 %
Particle size: 150-425 μ m	Gravimetry	Min 70%	87 %
Loss on drying	Gravimetry	Max 10%	5 %
Bulk density:	Untapped	Gravimetry	0.55-0.75 g/ml
	Tapped	Gravimetry	0.6-0.8 g/ml
Lead	ICP	≤ 1 ppm	< 1 ppm
Arsenic	ICP	≤ 1 ppm	≤ 1 ppm *
Mercury	ICP	≤ 0.1 ppm	≤ 0.1 ppm *
Cadmium	ICP	≤ 1 ppm	≤ 1 ppm *
Total plate count	USP<2021>	Less than 1,000/g	25/g
E.Coli	USP<2022>	Negative /10g	Negative /10g
Salmonella	ISO 6579; SI 885/7; FDA BAM Chapter 5	Negative/25g	Negative/25g
Staph. Aureus	USP<2022>	Negative /10g	Negative /10g
Yeasts/Molds	USP<2021>	Less than 100/g	$< 10/g$

* The tests marked with (*) are performed periodically.

Signature:

QC Laboratory

ANALYSIS CERTIFICATE

N° 20220094

Page 1/1

Date :
Product name : EXS0129IND - BURDOCK Root aqueous dry extract
Latin name : Arctium lappa L.
Lot :

ANALYSIS	Specifications	Results
QUALITY DATA		
Characters (Visual inspection)	Brownish, fine powder	Conform
Identification (TLC) (Done on the extract or on the half-processed product or on the drug)	Positive	Conform
Loss on drying (3hours - 105°C)	<= 5%	3.7%
Heavy metals (Atomic absorption)	=< 10ppm (Pb<3ppm; Cd<1ppm; Hg<0.1ppm)	Conform
Microbiology data - according to Eur.Ph. current ed.		
Total plate count	=< 5*10000 cfu/g	Conform
Yeast and Mold	=< 5*100 cfu/g	Conform
Enterobacteriaceae	=< 100cfu/g	Conform
E. coli	Absence/g	Conform
Salmonella	Absence/25g	Conform
OBSERVATION		
Best Before :		

, Quality Department
This analysis certificate is a computing copy and is valid without signature.

PV24355

	
CERTIFICATE OF ANALYSIS	

Product Name: Lyc-O-Beta 20% VBAF Description: Microencapsulated tablet grade of natural β -Carotene Lot No.: Catalog No.: 40160, 40161, 40163	Date of Issue: Certificate No.: Q-15555-1 Analysis No.: QC L22-4719; L22-3995/2022 Manufacture Date: Expiration Date:
---	---

Test Items	Method	Specification	Results
Appearance	Visual	Dark red free flowing beads	Dark red free flowing beadlets
Odor	Olfactory	Characteristic	Characteristic
Identification of β -Carotene	Spectrophotometry	Corresponds	Corresponds
β -Carotene	Spectrophotometry	Min 20%	21%
Particle size: 150-425 μ m	Gravimetry	Min 70%	84%
Loss on drying	Gravimetry	Max 10%	5%
Bulk density:	Untapped	Gravimetry	0.55-0.75 g/ml
	Tapped	Gravimetry	0.6-0.8 g/ml
Lead	ICP	≤ 1 ppm	≤ 1 ppm *
Arsenic	ICP	≤ 1 ppm	≤ 1 ppm *
Mercury	ICP	≤ 0.1 ppm	≤ 0.1 ppm *
Cadmium	ICP	≤ 1 ppm	≤ 1 ppm *
Total plate count	USP<2021>	Less than 1,000/g	375/g
E.Coli	USP<2022>	Negative /10g	Negative /10g
Salmonella	ISO 6579; SI 885/7; FDA BAM Chapter 5	Negative/25g	Negative/25g
Staph. Aureus	USP<2022>	Negative /10g	Negative /10g
Yeasts/Molds	USP<2021>	Less than 100/g	< 10/g

* The tests marked with (*) are performed periodically.

Signature: 

P24356



CERTIFICATE OF ANALYSIS

Product Name: LycoBeads 20% VBAF

Description: Microencapsulated tablet grade free flowing powder of natural Lycopene

Lot No.:

Catalog No.: 400775, 400776, 400777

Date of Issue:

Certificate No.: Q-15267

Analysis No.: QC L22-1830/2022

Manufacture Date:

Expiration Date:

Test Items	Method	Specification	Results
Appearance	Visual	Dark red free flowing beadlets	Dark red free flowing beadlets
Odor	Olfactory	Characteristic	Characteristic
Identification of Lycopene	HPLC	Corresponds	Corresponds
Natural Lycopene	HPLC	Min 20%	21%
Particle size: 150-425µm	Gravimetry	Min 70%	91%
Loss on drying	Gravimetry	Max 10%	4%
Bulk density:	Untapped Gravimetry	0.55-0.75 g/ml	0.63 g/ml
	Tapped Gravimetry	0.6-0.8 g/ml	0.7 g/ml
Lead	ICP	≤ 1 ppm	≤ 1 ppm *
Arsenic	ICP	≤ 1 ppm	≤ 1 ppm *
Mercury	ICP	≤ 0.1 ppm	≤ 0.1 ppm *
Cadmium	ICP	≤ 1 ppm	≤ 1 ppm *
Total plate count	USP<2021>	Less than 1,000/g	< 10/g
E.Coli	USP<2022>	Negative /10g	Negative /10g
Salmonella	ISO 6579; SI 885/7; FDA BAM Chapter 5	Negative/25g	Negative/25g
Staph. Aureus	USP<2022>	Negative /10g	Negative /10g
Yeasts/Molds	USP<2021>	Less than 100/g	< 10/g

* The tests marked with (*) are performed periodically.

Signature:

CERTIFICATE OF ANALYSIS

Product and Batch Informations			
COPPER BISGLYCINATE			
Ref : BISGLCUI001			
DT V01-			
Batch		Origin (natural/synthetic)	Synthetic
N° CAS		Country of origin	Asia
MF date		Expiration date	
ANALYSIS ITEM			
SPECIFICATION			
RESULT			
TEST METHOD			
Active Ingredients/Substance to control			
Assay	NLT 28% Copper	28,40%	In-House
Physical/Chemical Control			
Appearance	Blue Crystalline powder	Complies	Organoleptic
Loss on drying	NMT 8%	1,60%	5g/105°C/2Hrs
pH	7,0-9,0	8,3	In-House
Particle size	Through 100 mesh	Complies	Mesh screen
Contaminant Control*			
Lead (Pb)	NMT 3ppm	Complies	AAS
Arsenic (As)	NMT 1ppm	Complies	AAS
Cadmium(Cd)	NMT 1ppm	Complies	AAS
Mercury (Hg)	NMT 0,1ppm	Complies	AAS
PAHs	NMT 50ppb	Complies	GC
Benzo(a)pyrene	NMT 10ppb	Complies	GC
Microbiological Control			
Total aerobic microbial	NMT 20 000 cfu/g	190cfu/g	USP
Tot. yeast and mould	NMT 200 cfu/g	40cfu/g	USP
Salmonella	Negative/25g	Not detected	USP
E.Coli	Negative/g	Not detected	USP
Staphylococcus	Negative/g	Not detected	USP
Allegations			
Allergens	Allergen free/specify if any		
GMO	No OGM		
Irradiation	No irradiation		
Packing and Storage			
Packing	Suitable for food industry		
Storage	Store in dry places and keep away from strong direct light and heat.		

*According to a control plan

Quality departement

Batch Number / Lote Número:

CERTIFICATE OF ANALYSIS

COMPOSITION / COMPOSICIÓN

	SPECIFICATIONS / ESPECIFICACIONES	RESULTS / RESULTADOS
TOCOPHEROL-RICH EXTRACT / EXTRACTO RICO EN TOCOFEROLES (E 306)	Min. 30.0%	31.8%
α- tocopherol / α- tocoferol	Min. 5.0%	11.3%
β+γ- tocopherol / β+γ - tocoferol	Min. 55.0%	64.0%
δ- tocopherol / δ- tocoferol	Min. 18.0%	24.7%
SOYBEAN OIL / ACEITE DE SOJA		2.2%
MALTODEXTRINA / MALTODEXTRINE		66.0%

ANALYSIS / ANÁLISIS

TEST / ANÁLISIS	SPECIFICATIONS / ESPECIFICACIONES	RESULTS / RESULTADOS
Appearance / Apariencia	In accordance with PDS / Acorde a la PDS	Conforms / Conforme
Heavy Metals / Metales Pesados:	≤ 10 ppm	Conforms / Conforme
*Lead (pb) / Plomo (Pb)	≤ 3 ppm	Conforms / Conforme
*Arsenic (As) / Arsénico (As)	≤ 2 ppm	Conforms / Conforme
*Cadmium (Cd) / Cadmio (Cd)	≤ 1 ppm	Conforms / Conforme
*Mercury (Hg) / Mercurio (Hg)	≤ 0.1 ppm	Conforms / Conforme
Microbiological Specifications / Especificaciones Microbiológicas:		
*Total plate count / Recuento total en placa	≤ 1000 cfu/g	Conforms / Conforme
*Yeasts and molds / Levaduras y mohos	≤ 25 cfu/g	Conforms / Conforme
*E. coli	No detected in 25g / No detectado en 25g	Conforms / Conforme
*Salmonella spp.	No detected in 25g / No detectado en 25g	Conforms / Conforme
Sum of 4 PAH's: benzo[a]pyrene, benzo[a]anthracene, benzo[b]fluoranthene & chrysene / Suma de 4 HAP's: benzo[a]pireno, benzo[a]antraceno, benzo[b]fluoranteno & criseno	≤ 10 ppb	Conforms / Conforme
Benzo[a]pyrene / Benzo[a]pireno	≤ 2 ppb	Conforms / Conforme
*Pesticides / Pesticidas	In accordance with current legislation / Acorde a la legislación actual	Conforms / Conforme


* Analysed on random audit sample basis
* Datos correspondientes a los resultados obtenidos en Análisis de lotes seleccionados de forma aleatoria

EXPIRATION DATE / CONSUMO PREFERENTE

Best Before Date / Consumo Preferente
Production Date / Fecha de Fabricación

Madrid, 26 June 2023

Order Number / N° Pedido:
Client / Cliente:



CERTIFICAT D'ANALYSE

Désignation : CALCIUM PANTOTHENATE VIT B5 1 K

Code article : **Lot :**

Date libération : **Péremption :**

Désignation : CALCIUM PANTOTHENATE PH VK

Code article : **Lot :**

Numéro d'analyse : 223594

Date fabrication :

Monographie COOPER : 219 **Réf. monographie :** PE10.4(0470)CPF

Fabricant : **Lot fabricant :**

TESTS	NORMES D'ACCEPTATION	RESULTATS
CARACTERES		
CARACTERES	POUDRE BLANCHE OU SENSIBLEMENT BLANCHE	SENSIBLEMENT BLANCHE
SOLUBILITE		
SOLUBILITE DANS L'EAU	FACILEMENT SOLUBLE	CONFORME
SOLUBILITE DANS L'ETHANOL A 96P 100 V/V	PEU SOLUBLE	CONFORME
IDENTIFICATION		
IDENTIFICATION PAR CONTENANT	CONFORME	CONFORME
POUVOIR ROTATOIRE SPECIFIQUE	CONFORME	CONFORME
SPECTRE D'ABSORPTION DANS L'INFRA ROUGE	CONFORME	CONFORME
CALCIUM	POSITIVE	POSITIVE
ESSAI		
ASPECT DE LA SOLUTION	LIMPE ET INCOLORE	CONFORME
PH	6,8 - 8,0	7,5
POUVOIR ROTATOIRE SPECIFIQUESUR PRODUIT SEC	+25,5° A +27,5°	+26,4°
IMP.A ET AUTRES IMPURETES AGROUP. ACIDE AMINOCARBOXYLIQUE	MAXIMUM 0,50 p.100	0,09 p.100
CHLORURES	MAXIMUM 200 PPM	CONFORME
PERTE A LA DESSICCATION	MAXIMUM 3,0 p.100	2,4 p.100
IMPURETE B	MAXIMUM 0,8 p.100	0,7 p.100
IMPURETE C	MAXIMUM 0,3 p.100	0,1 p.100
IMPURETE E	MAXIMUM 0,25 p.100	0,09 p.100
IMPURETE H	MAXIMUM 0,15 p.100	0,07 p.100
IMPURETE NON SPECIFIEE LA PLUSIMPORTANTE	MAXIMUM 0,10 p.100	0,00 p.100
SOMME DES IMPURETES	MAXIMUM 1,2 p.100	1,0 p.100
DICHLOROMETHANE	MAXIMUM 600 PPM	CONFORME (NON DETECTE)
DOSAGE		
TITRE EN PANTOTHENATE DE CALCIUM SUR PRODUIT SEC	98,0 - 101,0 p.100	99,5 p.100

CERTIFICAT D'ANALYSE

Désignation : **CALCIUM PANTOTHENATE VIT B5 1 K**

Code article : **Lot :**

Date libération : **Péremption :**

Désignation : **CALCIUM PANTOTHENATE PH VK**

Code article : **Lot :**

Numéro d'analyse : 223594

Date fabrication :

Monographie COOPER : 219 **Réf. monographie :** PE10.4(0470)CPF

Fabricant : **Lot fabricant :**

TESTS

NORMES D'ACCEPTATION

RESULTATS

Observation :

DECISION : PRODUIT ACCEPTE

CE CERTIFICAT N'EST PAS SIGNE CAR IL EST EMIS INFORMATIQUEMENT.

THIS CERTIFICATE HAS BEEN PRODUCED ELECTRONICALLY AND BEARS NO SIGNATURE.

Le Responsable Assurance Qualité

Batch Number / Lote Número: **CERTIFICATE OF ANALYSIS****COMPOSITION / COMPOSICIÓN**

	SPECIFICATIONS / ESPECIFICACIONES	RESULTS / RESULTADOS
TOCOPHEROL-RICH EXTRACT / EXTRACTO RICO EN TOCOFEROLES (E 306)	Min. 30.0%	31.7%
α-tocopherol / α-tocoferol	Min. 5.0%	13.0%
β+γ-tocopherol / β+γ-tocoferol	Min. 55.0%	66.5%
δ-tocopherol / δ-tocoferol	Min. 18.0%	20.5%
SOYBEAN OIL / ACEITE DE SOJA		2.3%
MALTODEXTRINA / MALTODEXTRINE		66.0%

ANALYSIS / ANÁLISIS

TEST / ANÁLISIS	SPECIFICATIONS / ESPECIFICACIONES	RESULTS / RESULTADOS
Appearance / Apariencia	In accordance with PDS / Acorde a la PDS	Conforms / Conforme
Heavy Metals / Metales Pesados:	≤ 10 ppm	Conforms / Conforme
*Lead (pb) / Plomo (Pb)	≤ 3 ppm	Conforms / Conforme
*Arsenic (As) / Arsénico (As)	≤ 2 ppm	Conforms / Conforme
*Cadmium (Cd) / Cadmio (Cd)	≤ 1 ppm	Conforms / Conforme
*Mercury (Hg) / Mercurio (Hg)	≤ 0.1 ppm	Conforms / Conforme
Microbiological Specifications / Especificaciones Microbiológicas:		
*Total plate count / Recuento total en placa	≤ 1000 cfu/g	Conforms / Conforme
*Yeasts and molds / Levaduras y mohos	≤ 25 cfu/g	Conforms / Conforme
*E. coli	No detected in 25g / No detectado en 25g	Conforms / Conforme
*Salmonella spp.	No detected in 25g / No detectado en 25g	Conforms / Conforme
Sum of 4 PAH's: benzo[a]pyrene, benzo[a]anthracene, benzo[b]fluoranthene & chrysene / Suma de 4 HAP's: benzo[a]pireno, benzo[a]antraceno, benzo[b]fluoranteno & criseno	≤ 10 ppb	Conforms / Conforme
Benzo[a]pyrene / Benzo[a]pireno	≤ 2 ppb	Conforms / Conforme
*Pesticides / Pesticidas	In accordance with current legislation / Acorde a la legislación actual	Conforms / Conforme

* Analysed on random audit sample basis

* Datos correspondientes a los resultados obtenidos en Análisis de lotes seleccionados de forma aleatoria

EXPIRATION DATE / CONSUMO PREFERENTEBest Before Date / Consumo Preferente
Production Date / Fecha de FabricaciónOrder Number / N° Pedido:
Client / Cliente:

Certificate of Analysis

General Information					
Product	Remy O DR6		Production Date		(dd/mm/yyyy)
Batch			Best before		(dd/mm/yyyy)
Issued by	Quality Control Management		Date CoA Issued		(dd/mm/yyyy)

Results of analyses					
Parameter	Result	Unit	Method ⁽¹⁾	LSL	USL
Physical and Chemical Parameters					
Moisture	8	g/100g	ISO 712		≤ 14
Protein content (N*6,25) on DM	4,7	g/100g d.m.	ISO 1871 ⁽¹⁾		≤ 7,0
Ash content on DM	0,3	g/100g d.m.	ISO 3593		≤ 1,0
Rheological Parameters					
Starting gel point, pH as is, 6%	80	°C	Brabender	≥ 60	
End viscosity, pH as is, 6%	600	BU	Brabender	≥ 500	
Microbiological Parameters					
Salmonella (/375g)	Negative	/375g	ISO 6579		Negative
Total mesophilic bacteria (aerobic)	100	cfu/g	ISO 4833		≤ 100.000
Yeasts and Moulds	10	cfu/g			≤ 1.000
Enterobacteriaceae	<10	cfu/g			≤ 100

⁽¹⁾ or (acknowledged and) validated equivalent

Remarks
We herewith confirm that the product complies with the corresponding guarantees listed in its Product Sheet .
Rice starch issued from organic farming, Certisys BE-BIO-01

CERTIFICATE OF ANALYSIS EMPTY HARD CAPSULES OF VEGETABLE ORIGIN

CUSTOMER: _____		PRODUCT CODE: K00003G	SIZE: 0
LOT No.: _____	PURCHASE ORDER NUMBER: _____	CHARGE No.: 1-000776	ART No.: 56-000991
CAPSULE COLOR / CODE: CAP - NATURAL 1-0K		/ BODY - NATURAL 1-0K	
PRINT: N/A	TEXT: N/A	INK COLOR: N/A	

THIS IS TO CERTIFY THAT: The hard capsules of vegetable origin (K-CAPS) manufactured by _____ are made from cellulose ethers, which are polymers derived from vegetable sources. Our capsules are certified as Kosher and Halal, and meet all requirements of current European Pharmacopoeia (EP) and United States Pharmacopoeia (USP). Hypromellose used in the manufacturing of capsules meet specifications as described in the current United States Pharmacopoeia. Cellulose ethers are considered as Generally Recognized As Safe (GRAS) by the FDA.

(% Ingredients to % Cellulose)

Cap	%	Body	%
<i>Colorant and ingredients used in capsules are officially approved for use as dye in Foods, Drugs and Cosmetics and/or Drugs and Cosmetics, in the country of destination.</i> <i>Some changes in color are due to natural colorants or can occur/are within the specification. The above specifications apply to all capsules having the same size and code numbers, unless otherwise stipulated.</i>			

Date of Manufacture: _____

Expiration Date: _____

CRITERIA	METHOD / REFERENCE	SPECIFICATIONS	RESULTS
PHYSICAL			
Average Capsule Weight	DCC-MI-P003/ USP <2091>	103.00-115.00 mg	106.3
Loss on drying	DCC-MA-P027	4.00-8.00 %	4.7
Disintegration	DCC-MA-P063/ USP <701>	N.M.T. 15 min	PASSES
Residue on Ignition *	USP	N.M.T. 1.5% Transparent Capsules N.M.T. 6.0% Colored Capsules	PASSES
Identification of HPMC	DCC-MA-P073 / USP	Meets USP Requirements	PASSES
ANALYTICAL			
Arsenic *	EXTERNAL	N.M.T. 0.8 ppm	PASSES
Chromium *	EXTERNAL	N.M.T. 2 ppm	PASSES
Cadmium *	EXTERNAL	N.M.T. 0.5 ppm	PASSES
Lead *	EXTERNAL	N.M.T. 0.5 ppm	PASSES
Mercury *	EXTERNAL	N.M.T. 0.1 ppm	PASSES
Cobalt *	EXTERNAL	N.M.T. 5.0 ppm	PASSES
Vanadium *	EXTERNAL	N.M.T. 10.0 ppm	PASSES
Nickel *	EXTERNAL	N.M.T. 20.0 ppm	PASSES
Total Aerobic Microbial Count	DCC-MA-P031 / USP <61>	N.M.T. 1000 cfu/g	9
Total Yeasts and Molds Count	DCC-MA-P040 / USP <61>	N.M.T. 100 cfu/g	<10
Total Coliforms	DCC-MA-P036 / USP <62>	Absence / 1 g	Absence
Salmonella	DCC-MA-P039 / USP <62>	Absence / 10 g	Absence
Escherichia Coli	DCC-MA-P036 / USP <62>	Absence / 1g	Absence
Staphylococcus aureus	DCC-MA-P037 / USP <62>	Absence / 1g	Absence
Pseudomonas aeruginosa	DCC-MA-P033 / USP <62>	Absence / 1g	Absence

*Reduced Frequency Testing

Storage Conditions: Temperature: 15°C - 30°C / Relative Humidity: 35 % - 70 % RH N.M.T. = No More Than

NOTE: The VISUAL QUALITY is superior to the established figures in the sampling plans of the ANSI/ASQ Z1.4-2013 "Procedure of sampling to inspect for attributes", using simple sampling with level III of General Inspection and Acceptable Level of Quality (AQL) of 0.010 for Critical defects, 0.040 for Major defects and 0.250 for Minor defects. They also fulfill the specifications established in the Technical Information Manual in force.

[Signature]
Quality Assurance

Date: _____

