

**CERTIFICATE OF QUALITY**

Customer Name : **Cellulose Capsule Shells** COA No : **10000000000000000000**  
 Name of Product : **Cellulose Capsule Shells**  
 Product Code : **10000000000000000000** Customer Code : **10000000000000000000**  
 Cap Color : CLEAR TRANSPARENT  
 Body Color : CLEAR TRANSPARENT  
 Batch : **10000000000000000000** Batch Qty : 9,289,000 Spec Ref : **10000000000000000000**  
 Mfg. Date : **10000000000000000000** Expiry Date : **10000000000000000000** Size : 1

**PRINTING DETAILS**

----- No Printing -----

| TEST                              | SPECIFICATION                 | UNIT  | RESULT    |
|-----------------------------------|-------------------------------|-------|-----------|
| <b>1.IDENTIFICATION</b>           |                               |       |           |
| 1 ) Description                   | Unlocked cylindrical capsules | -     | Complies  |
| 2 ) Capsule Colour                | As per approved colour shade  | -     | Complies  |
| 3 ) Identification of HPMC        | Tests positive for HPMC       | -     | Complies  |
| <b>2.PERFORMANCE</b>              |                               |       |           |
| 1 ) Disintegration Time           | Maximum - 15.0                | min   | 3         |
| 2 ) Loss on Drying                | 3.0 - 8.0                     | %     | 4.8       |
| 3 ) Average Weight                | 71.0 - 81.0                   | mg    | 78.4      |
| <b>3.PURITY</b>                   |                               |       |           |
| 1 ) Odour                         | No foreign odour              | -     | Complies  |
| <b>4.SAFETY</b>                   |                               |       |           |
| 1 ) Arsenic                       | Maximum 1 ppm                 | -     | Complies* |
| 2 ) Lead                          | Maximum 1 ppm                 | -     | Complies* |
| 3 ) Lubricant Content             | Maximum 0.5%                  | -     | Complies* |
| 4 ) Mercury                       | Maximum 0.1 ppm               | -     | Complies* |
| 5 ) Cadmium                       | Maximum 0.5 ppm               | -     | Complies* |
| <b>5.MICROBIAL LIMITS</b>         |                               |       |           |
| 1 ) Total aerobic microbial count | 0 - 1000                      | cfu/g | 20        |
| 2 ) Yeast and Molds               | 0 - 100                       | cfu/g | <10       |
| 3 ) Escherichia coli              | Absent in 1g                  | -     | Absent    |
| 4 ) Salmonella                    | Absent in 10g                 | -     | Absent    |
| 5 ) Pseudomonas Aeruginosa        | Absent in 1g                  | -     | Absent    |
| 6 ) Staphylococcus aureus         | Absent in 1g                  | -     | Absent    |

In Accordance with ICH Q3C Residual solvent guideline, Class 3 solvents may be used according to good manufacturing practices such that their cumulative value does not exceed 5000 ppm or 0.5% under option 1 as defined in ICH Q3C, USP-467 & Ph.Eur General text 5.4

**DISPOSITION:** The above batch was tested using methods described in current edition of our capsules testing guide and conforms to the prescribed release specifications for Cellulose Capsule Shells.

## CERTIFICATE OF QUALITY

Customer Name :  COA No :   
Name of Product : Cellulose Capsule Shells  
Product Code :  Customer Code :   
Cap Color : CLEAR TRANSPARENT  
Body Color : CLEAR TRANSPARENT  
Batch :  Batch Qty : 9,289,000 Spec Ref :   
Mfg. Date :  Expiry Date :  Size : 1

### PRINTING DETAILS

----- No Printing -----

Approved By   
Designation Approver

Signature Not Verified  
Digitally Signed By: 

*This document is digitally signed.*

These capsules are produced under very carefully controlled GMP conditions. Controls are performed continuously during the process and assure that the capsules conform to the highest standards as per prescribed release specification.

| PRODUCT INFORMATION                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                |                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <b>Name Of Product</b> : Cellulose Capsule Shells<br><b>Brand Name</b> :<br><b>Product Code</b> : <b>Customer Code</b> :                                                                                                                   |                                                                                                                                                                                                                                                                |                 |
|                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                |                 |
| Component                                                                                                                                                                                                                                  | Reference                                                                                                                                                                                                                                                      | Percentage (%)  |
| Hydroxypropylmethylcellulose                                                                                                                                                                                                               | USP+Ph.Eur+I.P                                                                                                                                                                                                                                                 | q.s for 100     |
| Purified Water                                                                                                                                                                                                                             | Ph.Eur+IP                                                                                                                                                                                                                                                      | 4-6             |
| No added Preservatives                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                |                 |
| <b>CAP</b>                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                |                 |
| <b>Colorants</b>                                                                                                                                                                                                                           | No Colorants                                                                                                                                                                                                                                                   | 0.0000          |
| <b>BODY</b>                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                |                 |
| <b>Colorants</b>                                                                                                                                                                                                                           | No Colorants                                                                                                                                                                                                                                                   | 0.0000          |
| <b>Limitations:</b> The indicated composition data are target values based on lab scale development. The actual values may vary for matching the color.                                                                                    |                                                                                                                                                                                                                                                                |                 |
| The product is manufactured in accordance with IPEC GMP. The visual quality and print quality of capsules wherever applicable conform to the AQL (Acceptable level of Quality) as defined in the specification.                            |                                                                                                                                                                                                                                                                |                 |
| Cellulose Capsule Shells are not concerned by the requirements regarding TSE//BSE of regulation (EC) No.999/2001 and amendments thereof, EMEA/410/01 & USFDA - 9CFR part 94.23. The Cellulose Capsule Shells do not pose any TSE/BSE risk. |                                                                                                                                                                                                                                                                |                 |
| <b>Storage Conditions</b>                                                                                                                                                                                                                  | (a) Temperature between 15-30 °C and RH between 40-65%.<br>(b) Do not store near a source of heat & avoid wide temperature fluctuation during storage                                                                                                          |                 |
| <b>Handling Precautions</b>                                                                                                                                                                                                                | (a) Temperature between 20-25°C and RH between 45-55% during usage.<br>(b) Use Only S.S Scoops & Spatulas.<br>(c) Do not leave capsules in a filling machine hopper for prolonged period when not in use.<br>(d) Keep mouth of the bag closed when not in use. |                 |
| <b>Shelf Life</b>                                                                                                                                                                                                                          | 5 Years from date of manufacturing when stored & handled as above                                                                                                                                                                                              |                 |
|                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                |                 |
| Recommendation For Filling                                                                                                                                                                                                                 | Closed Joined Length (mm)                                                                                                                                                                                                                                      | Volume (ml)     |
| Nominal                                                                                                                                                                                                                                    | 19.3                                                                                                                                                                                                                                                           | 0.50            |
| Tolerance                                                                                                                                                                                                                                  | ± 0.4                                                                                                                                                                                                                                                          | APPROX CAPACITY |
|                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                |                 |

Page 3 of 3





Name of product

INAVEA ESSENTIAL

BA validé par LL

Lot number

Date of manufacture

Expiry date

Place of manufacture

CERTIFICATE OF ANALYSIS

| Test                                     | Method                | Specifications       | Result               |
|------------------------------------------|-----------------------|----------------------|----------------------|
| Description                              |                       | Brown to dark powder | Brown to dark powder |
| Total dietary fibers (on dry weight) (%) | AOAC 985.29           | ≥ 90%                | ≥ 90%                |
| pH of 25% solution                       | Eur.Ph                | 4.1 to 4.8           | 4,42                 |
| Color of 25% solution                    |                       | Brown to black       | Brown to black       |
| Viscosity of 25% solution (mPa.s)        | Brookfield LVF 60 rpm | 60 to 130 mPa.s      | 115                  |
| Moisture (5H-105°C) (%)                  | USP 921 Method III    | ≤ 10%                | 7,15                 |
| Acid insoluble matters (%)               | Eur.Ph                | ≤ 0.5%               | 0,05                 |
| Total ashes (%)                          | Eur.Ph                | ≤ 4.0%               | 2,30                 |
| Acid insoluble ashes (%)                 | USP 561               | ≤ 0.5%               | ≤ 0.5%               |
| Mesh size through 63 µm (%)              | Vibro sieving         | ≤ 15%                | ≤ 15%                |
| Solubility and reaction*                 | Eur.Ph                | Passes test          | Passes test          |
| Glucose and fructose*                    | Eur.Ph                | Passes test          | Passes test          |
| Starch, dextrin and agar*                | Eur.Ph                | Passes test          | Passes test          |
| Sterculia gum*                           | Eur.Ph                | Passes test          | Passes test          |
| Tragacantha*                             | Eur.Ph                | Passes test          | Passes test          |
| Tannins*                                 | Eur.Ph                | Passes test          | Passes test          |
| Identification*                          | Eur.Ph                | Passes test          | Passes test          |
| Lead* (ppm)                              | ICP-OES/ICP-MS        | ≤ 0.1 ppm            | ≤ 0.1 ppm            |
| Arsenic* (ppm)                           | ICP-OES/ICP-MS        | ≤ 0.5 ppm            | ≤ 0.5 ppm            |
| Mercury* (ppm)                           | SAA                   | ≤ 0.1 ppm            | ≤ 0.1 ppm            |
| Cadmium* (ppm)                           | ICP-OES/ICP-MS        | ≤ 0.1 ppm            | ≤ 0.1 ppm            |
| Total heavy metal* (ppm)                 | FCC Method II         | ≤ 5 ppm              | ≤ 5 ppm              |
| Total plate count (CFU per g)            | NF EN ISO 4833-1      | ≤1000/g              | ≤1000/g              |
| Yeast (CFU per g)                        | ISO 6611              | ≤100/g               | ≤100/g               |
| Molds (CFU per g)                        | ISO 6611              | ≤100/g               | ≤100/g               |
| E.coli                                   | NF ISO 7251           | ABS/5g               | ABS/5g               |
| Salmonella                               | NF EN ISO 6579-1      | ABS/25g              | ABS/25g              |

ORGANIC ACACIA GUM USA-NOP CERTIFIED BY ECOCERT SA F32600  
PRODUIT ISSU DE L'AGRICULTURE BIOLOGIQUE CERTIFIE PAR FR-BIO-01

\*/\*\*/\*\*\* periodicity of the analysis as defined on the Technical Data Sheet

Comply with the EC regulation, 231/2012  
Conform to Eur.Ph, USP/NF, BP



The information here above is based on our current knowledge. cannot be hold responsible besides the guarantees written on its supply contracts, based on the fact that it does not control the final use of this product. It is the buyer's responsibility to comply with local texts and laws regulating its activity and the use of this product.





CERTIFIE FR-BIO-01  
AGRICULTURE NON UE

# CERTIFICATE OF ANALYSIS

## ORGANIC COCONUT FLOUR

Reference :

### DESCRIPTION

Organic coconut flour consist of finely ground fibers of partially de-oiled coconut meat (*Cocos nucifera* ).

|          |  |
|----------|--|
| BATCH N° |  |
|----------|--|

|               |  |
|---------------|--|
| Best before : |  |
|---------------|--|

### PHYSICO-CHEMICALS ANALYSIS

|                   | Specification                              | Methods  | Results |
|-------------------|--------------------------------------------|----------|---------|
| Appearance        | Creamy beige to light brown fine particles | Internal | Conform |
| Flavour and Taste | Typical, fresh coconut flavour             |          | Conform |
| Moisture          | <6%                                        |          | Conform |
| Crude fat content | <20%                                       |          | Conform |

### MICROBIOLOGICAL SPECIFICATIONS

|                   | Specifications | Methods                       | Results      |
|-------------------|----------------|-------------------------------|--------------|
| Total plate count | ≤500 000 cfu/g | European Pharmacopoeia or eq. | 20 000 cfu/g |
| Yeasts & Moulds   | ≤50 000 cfu/g  |                               | <1000 cfu/g  |
| Enterobacteriaea  | ≤10 000 cfu/g  |                               | <100 cfu/g   |
| <i>E.coli</i>     | Negative/g     |                               | Negative/g   |
| <i>Salmonella</i> | Negative/25g   |                               | Negative/25g |

### STORAGE

Store at ambient Temperature (<25°C) in cool and dry place, protected from light.

Validity and use of this certificate of analysis are strictly limited to the mentionned batch.  
It is the customer's responsibility to make sure use and conditions of use comply with  
the legislation in force in their own markets and countries.

To whom it may concern,

**Product : E58B0002 - ORGANIC COCONUT FLOUR**

**Batch Number :**

**Best before :**

|                                                                                         | Specification                                                                   | Result  |
|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------|
| Ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide) | <0,010 ppm                                                                      | Conform |
| Pesticides<br>LC-MS<br>GC-MS                                                            | Conform to Organic agricultural practices according to Regulation (EU) 2018/848 | Conform |

**Quality department**

***This information is based on our best knowledge and data provided by our production partners.***





EPIC Europe GmbH  
17 rue des Frères Lumière  
93000 Levallois-Perret

Page 1 sur 1  
Document client  
EPIC

France

Certificat d'analyse selon le DIN 55350-18-4.2.2

Nicotinamide EP/USP Food  
5KG Fibreboard boxes  
No commande d'achat/Article client

|           |                      |
|-----------|----------------------|
| Article   |                      |
| Ordre     |                      |
| Livraison |                      |
| Lot       |                      |
| Lot/Qté   | 5.000 KG             |
| Total     | 5.000 KG             |
| Transport | 00000000001256425399 |

| Characteristic<br>Method                 | Unit  | Value                               | Lower<br>Limit | Upper<br>Limit |
|------------------------------------------|-------|-------------------------------------|----------------|----------------|
| Appearance                               |       | white crystalline powder            |                |                |
| Colour                                   |       | white                               |                |                |
| Identity<br>(IR-, UV-Absorption and TLC) |       | conforms                            |                |                |
| Content                                  | % w/w | 99, 7                               | 99, 0          | 101, 0         |
| Heavy metal (Pb)                         | mg/kg | < 20                                |                | 20             |
| Lead                                     | mg/kg | < 0, 005                            |                | 2, 000         |
| Chloride                                 | mg/kg | < 70                                |                | 70             |
| Sulfate                                  | mg/kg | < 190                               |                | 190            |
| Readily carbonizable substances (vis)    |       | no more color than Matching Fluid A |                |                |
| pH (5g /100mL water)                     |       | 6, 7                                | 6, 0           | 7, 5           |
| Loss on drying                           | % w/w | 0, 06                               |                | 0, 50          |
| Appearance of solution                   |       | conforms                            |                |                |
| Related substances (Ph.Eur.)             |       |                                     |                |                |

Les données susmentionnées décrivent les paramètres pertinents du produit au moment de l'émission de ce certificat d'analyse (CdA). Les données sont contrôlées à intervalles réguliers dans le cadre de notre programme d'assurance qualité et ne sont fournies qu'à titre indicatif. La qualité contractuelle convenue du produit au moment du transfert des risques est exclusivement déterminée par nos spécifications du produit. Sauf accord écrit spécifique des parties signé par des représentants autorisés, aucune adéquation à un usage particulier ne sera présumée ou implicite sur la base du CdA et le client est seul responsable de la détermination et de la vérification de l'adéquation de l'utilisation du produit à quelque fin que ce soit.

EUROPEAN LABORATORIES LTD  
17 RUE DES FRIERES-LABOIRE  
92010 Clichy-la-Fayette

Page 1 de 1  
Document unique  
BTC

France

**Certificat d'analyse selon le DIN 55350-18-4.2.2**

Nicotinamide EP/USP Food

5KG Fibreboard boxes

No commande d'achat/Article client

|           |                      |
|-----------|----------------------|
| Article   |                      |
| Ordre     |                      |
| Livraison |                      |
| Lot       |                      |
| Lot/Qté   | 5.000 KG             |
| Total     | 5.000 KG             |
| Transport | 00000000001256425399 |

| Characteristic<br>Method  | Unit  | Value      | Lower<br>Limit | Upper<br>Limit |
|---------------------------|-------|------------|----------------|----------------|
| unspecified impurities    | % w/w | 0,05       |                | 0,10           |
| total impurities          | % w/w | 0,05       |                | 0,20           |
| Sulfated ash              | % w/w | 0,07       |                | 0,10           |
| Production date           |       | 20.06.2024 |                |                |
| Best before / Retest date |       | 19.06.2029 |                |                |

Residual solvents (USP #): conforms

Nicotinamide EP/USP Food meets the specifications of the current monographs:

"Nicotinamide" of Ph.Eur.

"Niacinamide" of USP

"Niacinamide" of FCC

This C/A is based on analytical results, obtained by the QC-laboratory of the manufacturer.

Refilled by BTC Europe GmbH, Burgbernheim.

Les données susmentionnées décrivent les paramètres pertinents du produit au moment de l'émission de ce certificat d'analyse (CdA). Les données sont contrôlées à intervalles réguliers dans le cadre de notre programme d'assurance qualité et ne sont fournies qu'à titre indicatif. La qualité contractuelle convenue du produit au moment du transfert des risques est exclusivement déterminée par nos spécifications du produit. Sauf accord écrit spécifique des parties signé par des représentants autorisés, aucune adéquation à un usage particulier ne sera présumée ou implicite sur la base du CdA et le client est seul responsable de la détermination et de la vérification de l'adéquation de l'utilisation du produit à quelque fin que ce soit.



# CERTIFICATE OF ANALYSIS

| Product and Batch Informations    |              |
|-----------------------------------|--------------|
| VITAMIN B6 PYRIDOXAL 5'-PHOSPHATE |              |
| REF : PLP.001                     |              |
| Origin (natural/synthetic)        | Synthetic    |
| Country of manufacturing          | Asia - China |

| ANALYSIS ITEM                                  | SPECIFICATION                                                        | RESULT     | TEST METHOD        |
|------------------------------------------------|----------------------------------------------------------------------|------------|--------------------|
| Active Ingredients/Substance to control        |                                                                      |            |                    |
| Assay                                          | 98,5 – 101,0 %                                                       | 99,1%      | CP<0512>           |
| Physical/Chemical Control                      |                                                                      |            |                    |
| Appearance                                     | Slightly yellow or off-white powder                                  | Complies   | Visual             |
| Water by KF                                    | NMT 10,0%                                                            | 8,3%       | CP<0832>           |
| Melting point                                  | 140 - 145°C                                                          | 143°C      | CP<0612>           |
| B6 free Vitamin B6                             | NMT 0,05%                                                            | 0,03%      | CP<0512>           |
| Particle size                                  | NLT 90% through 30 mesh                                              | Complies   | CP<0982>           |
| Solubility                                     | Very slightly soluble in water, soluble in alkali-OH solution        | Complies   | CP General Notices |
| pH (in 0.25% water)                            | 2,6 – 3,0                                                            | 2,8        | CP<0631>           |
| Contaminant Control*                           |                                                                      |            |                    |
| Lead (Pb)                                      | NMT 3ppm                                                             | Complies   | CP<0412>           |
| Arsenic (As)                                   | NMT 2ppm                                                             | Complies   | CP<0412>           |
| Cadmium(Cd)                                    | NMT 1ppm                                                             | Complies   | CP<0412>           |
| Mercury (Hg)                                   | NMT 0,1ppm                                                           | Complies   | CP<0412>           |
| Microbiological Control                        |                                                                      |            |                    |
| Total aerobic microbial                        | NMT 20 000 cfu/g                                                     | <100 cfu/g | CP<1105>           |
| Tot. yeast and mould                           | NMT 200 cfu/g                                                        | <10 cfu/g  | CP<1105>           |
| Bile tolerant gram – bacteria (enterobacteria) | NMT 100 cfu/g                                                        | Complies   | CP<1105>           |
| Salmonella                                     | Negative/10g                                                         | Complies   | CP<1106>           |
| E.Coli                                         | Negative/g                                                           | Complies   | CP<1106>           |
| Staphylococcus                                 | Negative/g                                                           | Complies   | CP<1106>           |
| Statements                                     |                                                                      |            |                    |
| Allergens                                      | Allergen free                                                        |            |                    |
| GMO                                            | No OGM                                                               |            |                    |
| Irradiation                                    | No irradiation                                                       |            |                    |
| BSE/TSE                                        | BSE/TSE free                                                         |            |                    |
| Nanomaterials                                  | Nanomaterials free                                                   |            |                    |
| Packing and Storage                            |                                                                      |            |                    |
| Packing                                        | Suitable for food industry                                           |            |                    |
| Storage                                        | Store in dry places and keep away from strong direct light and heat. |            |                    |

\*According to a control plan

\*\*Sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide

\*\*\* According to meeting on Ethylene oxide on october 2021, applicable limit of ethylene oxide for food supplement, some minerals and additives (except in specific case) is 0.1ppm

|                                                                                           |                                                                 |               |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------|---------------|
| <b>Product Name:</b> CrPIX® - Chromium picolinate powder                                  |                                                                 |               |
| <b>Synonym:</b> CrPic; Cr(pic)3; chromium tripicolinate; chromium (III) trispicolinate    |                                                                 |               |
| <b>CAS number:</b> 14000-25-9                                                             | <b>EC number:</b> 244-124-4                                     |               |
| <b>Molecular formula:</b> C <sub>18</sub> H <sub>12</sub> CrN <sub>3</sub> O <sub>6</sub> | <b>Molecular weight:</b> 418.30 g/mol                           |               |
| <b>Standard:</b> USP                                                                      | <b>Specification ref.:</b> RO_V0                                |               |
| <b>Batch Number:</b> 10000000                                                             | <b>Manufacturing date:</b> 15-09-2024                           |               |
| <b>Expiry Date:</b> 15-09-2027                                                            | <b>Principle ref.:</b> BPM147                                   |               |
| <b>Analysis</b>                                                                           | <b>Specification</b>                                            | <b>Result</b> |
| Appearance                                                                                | Pink to reddish coloured free flowing fine powder               | Conforms      |
| Identification A [IR]                                                                     | Must comply to the standard                                     | Conforms      |
| Identification B<br>[alkaline H <sub>2</sub> O <sub>2</sub> colour test]                  | A yellow precipitate develops                                   | Conforms      |
| Solubility                                                                                | Sparingly soluble in water<br>Slightly soluble in boiling water | Conforms      |
| Assay [Chromium picolinate] [AAS]<br>(on dried basis)                                     | 98.0% to 102.0 %                                                | 99.32%        |
| Loss on drying                                                                            | NMT 4.0%                                                        | 1.90%         |
| Chloride                                                                                  | NMT 0.06%                                                       | Conforms      |
| Sulphate                                                                                  | NMT 0.2%                                                        | Conforms      |

**Conclusion:** This product conforms to the specification and standards mentioned above.

**Storage conditions:** Store in a cool, dry place away from heat, direct light and moisture.

*This is a computer-generated report therefore it is valid without signatures.*

The information provided in the document is based on our current knowledge and experience, however, without any obligation and without any assumption of liability on our part. The information may be used at your discretion and risk. It does not relieve you from carrying out your own precautions and tests. You must comply with all the applicable laws, rules and regulations and observe all third-party rights.



| <b>Product Name:</b> CrPIX® - Chromium picolinate powder                                  |                                                                 |          |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------|----------|
| <b>Synonym:</b> CrPic; Cr(pic)3; chromium tripicolinate; chromium (III) trispicolinate    |                                                                 |          |
| <b>CAS number:</b> 14000-33-8                                                             | <b>EC number:</b> 236-720-8                                     |          |
| <b>Molecular formula:</b> C <sub>18</sub> H <sub>12</sub> CrN <sub>3</sub> O <sub>6</sub> | <b>Molecular weight:</b> 418.30 g/mol                           |          |
| <b>Standard:</b> USP                                                                      | <b>Specification ref.:</b> RO_V1                                |          |
| <b>Batch Number:</b> 1000000                                                              | <b>Manufacturing date:</b> 01-05-2020                           |          |
| <b>Expiry Date:</b> 01-05-2025                                                            | <b>Principle ref.:</b> BPM147                                   |          |
| Analysis                                                                                  | Specification                                                   | Result   |
| Appearance                                                                                | Pink to reddish coloured free flowing fine powder               | Conforms |
| Identification A [IR]                                                                     | Must comply to the standard                                     | Conforms |
| Identification B<br>[alkaline H <sub>2</sub> O <sub>2</sub> colour test]                  | A yellow precipitate develops                                   | Conforms |
| Solubility                                                                                | Sparingly soluble in water<br>Slightly soluble in boiling water | Conforms |
| Assay [Chromium picolinate] [AAS]<br>(on dried basis)                                     | 98.0% to 102.0 %                                                | 99.26%   |
| Assay [Chromium]                                                                          | 12.18% to 12.68%                                                | 12.34%   |
| Loss on drying                                                                            | NMT 4.0%                                                        | 1.98%    |
| Chloride                                                                                  | NMT 0.06%                                                       | <0.06%   |
| Sulphate                                                                                  | NMT 0.2%                                                        | <0.2%    |
| Lead (Pb)                                                                                 | NMT 3 ppm                                                       | 0.33 ppm |
| Arsenic (As)                                                                              | NMT 1 ppm                                                       | 0.15 ppm |
| Cadmium                                                                                   | NMT 1 ppm                                                       | 0.12 ppm |
| Mercury                                                                                   | NMT 0.1 ppm                                                     | 0.01 ppm |
| E. Coli                                                                                   | Negative/ g                                                     | Conforms |
| Salmonella                                                                                | Negative/ 25g                                                   | Conforms |

**Conclusion:** This product conforms to the specification and standards mentioned above.

**Storage conditions:** Store in a cool, dry place away from heat, direct light and moisture.

*This is a computer-generated report therefore it is valid without signatures.*

The information provided in the document is based on our current knowledge and experience, however, without any obligation and without any assumption of liability on our part. The information may be used at your discretion and risk. It does not relieve you from carrying out your own precautions and tests. You must comply with all the applicable laws, rules and regulations and observe all third-party rights.